


Abbey Caravans, Dunswell Road, Cottingham, East Yorkshire HU16 4JX.  
Telephone: 01482 875740 Fax: 01482 840082  
e-mail: [enquiry@swiftleisure.co.uk](mailto:enquiry@swiftleisure.co.uk) web site: [www.abbeycaravans.co.uk](http://www.abbeycaravans.co.uk)

A MEMBER OF THE SWIFT GROUP


**1074981** v2 issued March 2007



Leaders in Leisure

# ABBHEY GTS

SPECIFICATION, WIRING DIAGRAMS & BULB CHART





# CONTENTS

Specification .....1

Wiring Diagrams - Road Lights .....2

Wiring Diagrams - Internal Wiring - 12V & 230V .....3

Bulb Replacement .....4

# Specifications

	GTS 215	GTS 517	GTS 416	GTS 418	GTS 419	GTS 420
Berths	2	5	4	4	4	4
Axles	1	1	1	1	1	1
Internal Length (bed box height)	4.74m/15'7"	5.42m/17'10"	5.42m/17'10"	5.50m/18'1"	5.50m/18'1"	5.60m/18'4"
Overall Width	2.23m/7'4"	2.29m/7'6"	2.23m/7'4"	2.29m/7'6"	2.29m/7'6"	2.29m/7'6"
Overall Height (inc. TV Aerial)	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"
Maximum Internal Headroom	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"
Overall Length	6.41m/21'0"	7.09m/23'3"	7.09m/23'3"	7.17m/23'6"	7.17m/23'6"	7.27m/23'10"
Mass in Running Order (inc. tolerance)	1182kg/23.3cwt	1350kg/26.6cwt*	1335kg/26.3cwt	1274kg/25.1cwt	1334kg/26.3cwt	1293kg/25.5cwt
Essential Habitation Equipment Payload	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt
Personal Effects Payload	105kg/2.1cwt	142kg/2.8cwt	132kg/2.6cwt	133kg/2.6cwt	134kg/2.6cwt	134kg/2.6cwt
Optional Equipment Payload	5kg/0.1cwt	5kg/0.1cwt	5kg/0.1cwt	5kg/0.1cwt	5kg/0.1cwt	5kg/0.1cwt
Total user Payload	178kg/3.5cwt	215kg/4.2cwt	205kg/4.0cwt	206kg/4.0cwt	206kg/4.0cwt	207kg/4.0cwt
Maximum Technical Permissible Laden Mass (DECLARED)	1360kg/26.8cwt	1565kg/30.8cwt	1540kg/30.3cwt	1480kg/29.1cwt	1540kg/30.3cwt	1500kg/29.5cwt
Maximum Technical Permissible Laden Mass (POSSIBLE)	1500kg/29.5cwt	1600kg/31.5cwt	1600kg/31.5cwt	1500kg/29.5cwt	1600kg/31.5cwt	1500kg/29.5cwt
Awning A/A dimension†	8.95m/29'4"	9.63m/31'7"	9.63m/31'7"	9.71m/31'10"	9.71m/31'10"	9.81m/32'2"
Tyre Size	175 r14 99	205/65 r15 102	205/65 r15 102	175 r14 99	205/65 r15 102	175 r14 99
Tyre pressure at DECLARED MTPLM	58psi	50psi	50psi	62psi	50psi	65psi
Tyre pressure at POSSIBLE MTPLM	65psi	50psi	50psi	65psi	50psi	65psi
Static Load on Coupling Head	100kg	100kg	100kg	100kg	100kg	100kg
Thermal Insulation Grade	TWO	TWO	TWO	TWO	TWO	TWO
<b>Bed Sizes</b>						
Front Double	208cm x 180cm/6'10" x 5'11"	213cm x 180cm/7'0" x 5'11"	208cm x 180cm/6'10" x 5'11"	213cm x 159cm/7'0" x 5'3"	213cm x 139cm/7'0" x 4'7"	213cm x 143cm/7'0" x 4'6"
or One Single	180cm x 72cm/5'11" x 2'4"	180cm x 72cm/5'11" x 2'4"	180cm x 72cm/5'11" x 2'4"	167cm x 72cm/5'6" x 2'4"		
and One Single	190cm x 72cm/6'3" x 2'4"	190cm x 72cm/6'3" x 2'4"	190cm x 72cm/6'3" x 2'4"	159cm x 72cm/5'3" x 2'4"		
Rear Double		213cm x 138cm/7'0" x 4'6"		192cm x 139cm/6'4" x 4'7"		186cm x 134cm/6'1" x 4'5"
Rear Bunk		194cm x 56cm/6'4" x 1'10"				
Side Single (offside)			180cm x 66cm/5'11" x 2'2"		187cm x 78cm/6'2" x 2'6"	
Side Single (nearside)					190cm x 78cm/6'3" x 2'6"	
Side Bunk			178cm x 56cm/5'10" x 1'10"			


**Bed sizes:** Please note that double bed sizes are quoted with wrap round seating.

†**Note on awning sizes:** Due to the varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.


\* Estimated weight

# Wiring Diagrams

## GTS RANGE - ROAD LIGHTS



## GTS RANGE - 12V & 230V



# Bulb Replacement

	TYPE	RATING	GTS		
<b>ROAD LIGHTS</b>					
Front marker lights	W5W	12v 5w	✓		
Side marker	C5W	12v 5w	✓		
Reversing light	P21W	12v 21w	✓		
Rear indicator light	P21W	12v 21w	✓		
Brake / tail light	P21/5W	12v 21w / 5w	✓		
Fog light	P21W	12v 21w	✓		
Number plate light	C5W	12v 5w	✓		
High level brake light	T5/13.5	12v 2.3w	✓		
Hitch cover light	C5W	12v 5w			
<b>INTERIOR/OTHER</b>					
Awning light	P21W	12v 20w	✓		
Spot / reading lights	GU4/MR11 Dichroic	GU4 12v 10w	✓		
Downlighters	Halogen capsule	G4 12v 20w	✓		
Round ceiling lights single bulb	Halogen capsule	G4 12v 20w	✓		
Round ceiling lights twin bulb	Halogen capsule	G4 12v 10w	✓		
Small white round ceiling light	Halogen capsule	G4 12v 10w	✓		
Kitchen light	Fluorescent 300mm	12v 8w	✓		
Mains lights	Small screw	230v 40w	✓		

Note: Not all bulbs and lights feature on all models within a range